

THINK
LIGHTWEIGHT
LIGHTWEIGHT PANEL TECHNOLOGY SOLUTIONS

Fastening Review

thinklightweight.com

LIGHTWEIGHT PANEL FASTENING

- Lightweight Panel fastening
 - Often this question comes up after a customer recognizes the unique advantages of lightweight panels:

“How do I fasten to it?”

LIGHTWEIGHT PANEL FASTENING

- We categorize the solution to this question into the following 2 areas:
 - Low volume/medium strength requirements
 - High volume/high strength requirements

LIGHTWEIGHT PANEL FASTENING

- Low volume/medium strength requirements
 - In this situation we recommend use of the Hafele Varianta hollow core screw
 - Part # 013.30.900
 - Predrill to 3 mm
 - Deep spline offers medium strength




LIGHTWEIGHT PANEL FASTENING

- High volume/high strength requirements
 - In this situation we recommend use of the Avdel threaded insert
 - This installs a threaded insert into the skin material
 - Part #'s vary by thread required and skin thickness
 - Insert offers high strength
 - Fastening tool is semi-automatic
 - Installation tool cost is approx. \$1,700 so volume must justify tool cost
 - See images illustrating installed fasteners on the next slide

LIGHTWEIGHT PANEL FASTENING

- High volume/high strength requirements



LIGHTWEIGHT PANEL FASTENING

- Skin thickness
 - Both fastener applications can be used with a variety of skin thicknesses
 - The Hafele Varianta screw can be used in any skin thickness, the strength will increase with the thickness of the skin
 - The Avdel fastener must be ordered specifically for skin thickness as the crimp is toleranced to a predetermined skin material thickness


LIGHTWEIGHT PANEL FASTENING- PROCESS PARAMETERS

- Process parameters
 - Lightweight panel fasteners will not have the same resistance to torque in comparison to inserting fasteners into solid material
 - Common sense must be used to ensure that the fastener is not over torqued causing it to ruin the threads or spin the fastener

LIGHTWEIGHT PANEL FASTENING- DISCLAIMER

- Disclaimer
 - This document is for reference purposes only and the customer must test to ensure that they are satisfied with the process before proceeding to production. The fabricator is 100% responsible for the fastening application and ensuring that the application meets the requirements of their project. Think Lightweight does not take any responsibility for fastening failure.

MINIMIZE MATERIALS, MAXIMIZE RESULTS





THINK LIGHTWEIGHT

LIGHTWEIGHT PANEL TECHNOLOGY SOLUTIONS



FOAM LIGHT



3/8" COMB LIGHT



LIGHT TACK



1/8" COMB LIGHT



1/8" LUXA LIGHT



STRUCTA LIGHT