




FLOATING SHELF

A THINK LIGHTWEIGHT SOLUTION




**THINK
LIGHTWEIGHT®**
LIGHTWEIGHT PANEL TECHNOLOGY SOLUTIONS

COLOR OPTIONS



Paint/Lamination

Raw HDF with paintable edging ready for paint or for you to finish with your laminate or veneer option.



White

Formica 949-58 high pressure laminate with matching 1mm white PVC edging.



Unfinished Maple

Maple veneer with maple edging.



Custom Colors

Custom veneer and high pressure laminate options are available on a per request basis.



SIZES AVAILABLE

WEIGHT RATING


| | |
|--|--------|
| 2" THICK x 23 3/4" WIDE x 11 5/8" DEEP | 20 lbs |
| 2" THICK x 29 3/4" WIDE x 11 5/8" DEEP | 25 lbs |
| 2" THICK x 35 3/4" WIDE x 11 5/8" DEEP | 30 lbs |
| 2" THICK x 41 3/4" WIDE x 11 5/8" DEEP | 35 lbs |
| 2" THICK x 47 3/4" WIDE x 11 5/8" DEEP | 40 lbs |
| 2" THICK x 59 3/4" WIDE x 11 5/8" DEEP | 50 lbs |
| 2" THICK x 71 3/4" WIDE x 11 5/8" DEEP | 60 lbs |

Custom widths and depths available on a per request basis.

**Weight ratings are based on loads being evenly distributed over the shelf.*


INSTRUCTIONS

STEP 1




Mark a level line 1/8" below the desired shelf height location.

STEP 2




Identify stud locations and ensure screws will attach to a wall stud in at least two locations. Make sure that product is placed in **'THIS SIDE UP'** position.

STEP 3



Add additional fastenings in addition to stud locations to ensure there is a fastener in each end of the bracket and maximum spacing between any fastener is 16".

STEP 4



Slide shelf over brackets and install positioning screws into predrilled holes from the bottom in two locations.

WARRANTY

Due to the variation of wall composition (wood, concrete, metal, etc), the installation instructions and fixing of screws and hardware in this guide are based on a general installation. Individual installation must be adapted to each situation based on your wall composition. To ensure that your shelf is securely attached to the wall, using a professional installer is required.

CedarCrest Wood Products LTD - Limited Warranty

CedarCrest guarantees and warrants the products manufactured and sold by it to be free of defects in material and workmanship for a period of one (1) year from the date of shipment. This warranty does not apply to improper storage, handling, installation, use (including being subjected to extreme humidity variances) or finishing by the Customer or the ultimate consumer, and all claims for credit or replacement must be made in writing and accompanied by the defective item.

This company makes NO OTHER GUARANTEES or warranties of any kind or type whatsoever, either express or implied, with respect to the products manufactured by it, or products manufactured by others and sold or distributed by the company and in the event of any valid claim under this warranty.

THE COMPANY'S SOLE LIABILITY SHALL BE THE REPLACEMENT OF THE DEFFECTIVE ITEM OR REFUND OF ITS PURCHASE PRICE. In no event shall the company be liable for incidental or consequential damages for products sold and delivered to customer.

THANK YOU



**THINK
LIGHTWEIGHT®**
LIGHTWEIGHT PANEL TECHNOLOGY SOLUTIONS



info@thinklightweight.com
thinklightweight.com



5196880078



61 Townline Road, Tillsonburg
Ontario, Canada N4G2R5

